


































**PACIFIC NORTHWEST
GULF COAST • CALIFORNIA
RENTALS • SALES • PARTS
(800) 227-7920
Info@rasmussenco.com
www.RasmussenCo.com**



Images shown are representative samples of equipment models only.

75,001 -150,000 DIESEL MECHANICAL WINCHES	MANF.	MODEL # DRUMS	WEIGHT	CONTROL TYPE	TRANSMISSION TYPE	SPEC SHEET
	Skagit	RB-80 / 2 Drum	24,000 lbs	Air Controlled	Torque Converter	
	DRUM CAPACITY 2000' of 1-3/8", 2440' of 1-1/4", 3000' of 1-1/8"					
	APPROX BARE DRUM PULL & SPEED 96,000 lbs @ 12 FPM			APPROX DIMENSIONS L=187" x W=96" x H=88"		
	Clyde	Frame 12 / 2 Drum	49,700 lbs	Air Controlled	Torque Converter	
	DRUM CAPACITY 7500' of 1-1/4", 5300' of 1-1/2"					
	APPROX BARE DRUM PULL & SPEED 100,000 lbs @ 10 FPM			APPROX DIMENSIONS L=224" x W=126" x H=110"		
	Skagit	BU-140 / 2 Drum	26,000 lbs	Manually Controlled	Transmission	
	DRUM CAPACITY 1530' of 1-3/8", 1850' of 1-1/4", 2300' of 1-1/8"					
	APPROX BARE DRUM PULL & SPEED 120,000 lbs @ 14 FPM			APPROX DIMENSIONS L=168" x W=102" x H=87"		
	Skagit	BU-140 / 2 Drum	28,000 lbs	Air Controlled	Transmission	
	DRUM CAPACITY 1530' of 1-3/8", 1850' of 1-1/4", 2300' of 1-1/8"					
	APPROX BARE DRUM PULL & SPEED 120,000 lbs @ 14 FPM			APPROX DIMENSIONS L=168" x W=102" x H=87"		
	Manitowoc	390 / 2 Drum	30,000 lbs	Air Controlled	Torque Converter	
	DRUM CAPACITY 2650' of 1-1/2", 3150' of 1-3/8", 3750' of 1-1/4", & 4950' of 1 1/8"					
	APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 25 FPM			APPROX DIMENSIONS L=162" x W=94" x H=96"		

75,001 -150,000 DIESEL MECHANICAL WINCHES	MANF.	MODEL # DRUMS	WEIGHT	CONTROL TYPE	TRANSMISSION TYPE	SPEC SHEET
	Maniwoc	390 / 2 Drum	30,000 lbs	Air Controlled	Torque Converter	
	DRUM CAPACITY 1530' of 1-1/2", 2300' of 1-1/4", 2850' of 1-1/8"					
	APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 25 FPM			APPROX DIMENSIONS L=162" x W=94" x H=96"		
	Maniwoc	390 / 3 Drum	38,000 lbs	Air Controlled	Torque Converter	
	DRUM CAPACITY 2650' of 1-1/2", 3150' of 1-3/8", 3750' of 1-1/4", 4950' of 1-1/8"					
	APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 25 FPM			APPROX DIMENSIONS L=222" x W=94" x H=96"		
	Amcon	625 / 2 Drum	62,000 lbs	Air Controlled	Torque Converter	
	DRUM CAPACITY 3129' of 2", 4189' of 1-3/4", 5752' of 1-1/2", & 6578' of 1-3/8"					
	APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 25 FPM			APPROX DIMENSIONS L=218" x W=133" x H=138"		
	Skagit	G-160 / 2 Drum	38,500 lbs	Air Controlled	Torque Converter	
	DRUM CAPACITY 1940' of 1-3/4", 2250' of 1-5/8", 2640' of 1-1/2", 3140' of 1-3/8"					
	APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 20 FPM			APPROX DIMENSIONS L=188" x W=123" x H=93"		
	Skagit	RB-90W-50 / 1 Drum	23,000 lbs	Air Controlled	Torque Converter	
	DRUM CAPACITY 2600' of 1-1/2", 3100' of 1-3/8", 3750' of 1-1/4", 4650' of 1-1/8"					
	APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 5 FPM			APPROX DIMENSIONS L=163" x W=108" x H=94"		
	Skagit	RB-90W-50 / 2 Drum	34,000 lbs	Air Controlled	Torque Converter	
	DRUM CAPACITY 2600' of 1-1/2", 3100' of 1-3/8", 3750' of 1-1/4", 4650' of 1-1/8"					
	APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 20 FPM			APPROX DIMENSIONS L=135" x W=104" x H=100"		

75,001 -150,000 DIESEL MECHANICAL WINCHES	MANF.	MODEL # DRUMS	WEIGHT	CONTROL TYPE	TRANSMISSION TYPE	SPEC SHEET
	Skagit	RB-90W-50 / 2 Drum	34,000 lbs	Air Controlled	Transmission W/Power Lowering	
DRUM CAPACITY 2600' of 1-1/2", 3100' of 1-3/8", 3750' of 1-1/4", 4650' of 1-1/8"						
APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 20 FPM			APPROX DIMENSIONS L=135" x W=104" x H=100"			
	Skagit	RB-90W-55 / 2 Drum	32,000 lbs	Air Controlled	Torque Converter	
DRUM CAPACITY 3300' of 1-1/2", 3900' of 1-3/8", 4600' of 1-1/4", 5600' of 1-1/8"						
APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 20 FPM			APPROX DIMENSIONS L=188" x W=120" x H=96"			
	Skagit	RB-90W-55 / 2 Drum	32,000 lbs	Air Controlled	Transmission	
DRUM CAPACITY 3300' of 1-1/2", 3900' of 1-3/8", 4600' of 1-1/4", 5600' of 1-1/8"						
APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 20 FPM			APPROX DIMENSIONS L=180" x W=120" x H=96"			
	Skagit	RB-90W-55 / 2 Drum	32,000 lbs	Air Controlled	Transmission W/Power Lowering	
DRUM CAPACITY 3300' of 1-1/2", 3900' of 1-3/8", 4600' of 1-1/4", 5600' of 1-1/8"						
APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 20 FPM			APPROX DIMENSIONS L=188" x W=120" x H=96"			
	Skagit	RB-90W-50 / 3 Drum	45,000 lbs	Air Controlled	Transmission	
DRUM CAPACITY 3300' of 1-1/2", 3900' of 1-3/8", 4600' of 1-1/4", 5600' of 1-1/8"						
APPROX BARE DRUM PULL & SPEED 140,000 lbs @ 20 FPM			APPROX DIMENSIONS L=252" x W=104" x H=120"			